

Power Station 600W 568Wh

OEMACCEPT ACCORDING CUSTOMER'S REQUIREMENTS Universal Version









UN38.3 / MSDS / BIS / UL1973(Cell) / CE(cell) / CB(cell)



SPECIFICATION	
Capacity	568Wh(21.6V, 25Ah)
Li-ion NCM, 153600mAh@3.6V	
Pure Sine Wave Output 600W Continous, 1200W Surge Max	
AC Output	100V/110V/220V 50Hz/60Hz to 650+10W
Operating Temp	-10°C-40°C
Charging Temp	0°C-40°C
Weight	5.0KG
Size	275*170*215mm
INPUT	
DCInput	20V/5A, 100W max
Car Charge	12V/5A, 60W max
Solar Charge	12-24V, 60W max
ОИТРИТ	
2*DC Pot	12V/8A, 100W max
1*Car Port	12V/8.3A, 100W max
Wireless Charge Port	NO

5V/2.4A*1, 18W*1 (QC 3.0) 2*USB-A

1*USB-C(PD) 65W

ND

600W 568Wh

MATCHING CENARIO APPLICATION















Charge with a portable power source for outdoor activities such as picnics





During an RV trip

Before using or storing the product, please charging it with charger. When charging, the indicator light will become yellow, and LCD will display the current charging proportion and charging power. Showing 100% power on the LCD means the battery has been fully charged. The charging process is about 6.5h and the current power can be got on LCD screen.



Cambered design with biomimetic technology PC+ABS fireproofing shell which is anti-knock rrosion resistant and high temperature resistant. It has excellent insulating property to avoid electric leakage.







EXTREMELY AESTHETIC